

## **Regulation 1907/2006/EC "REACH"**

### **Concerning the registration, evaluation, authorization and restriction of chemicals (REACH: Registration, Evaluation, Authorization and Restriction of Chemicals)**

Referring to the aforementioned regulation, the following is declared:

A.P.I. S.r.l. produces articles starting from raw materials and semi-finished products which, to date, may contain substances identified as SVHC (Substances of Very High Concern), included in the candidate list for authorization.

A.P.I. S.r.l. declares that, depending on the raw material used, the substance "lead" (Pb) may be present in its products in concentrations even higher than 0.1% by weight per article. Inclusion in the SVHC list does not imply a change in the conditions of use of the product even considering that A.P.I. they are intended for industrial use, and not to be used for direct and prolonged use in contact with people.

The normal or reasonably foreseeable use of our components therefore does not involve particular precautions; only for disposal at the end of their life, it is recommended not to subject the items to mechanical processes such as cutting or drilling, which could cause exposure to the aforementioned substance or its dispersion into the environment.

A.P.I. S.r.l. undertakes to periodically monitor the "Candidate List" of SVHC substances updated by ECHA and promptly inform the interested parties if, in it, new SVHC substances are reported that actually appear to be within its products.

The foregoing relieves our customers of the need to proceed with any notification of new substances to ECHA (European Chemicals Agency) as a result of the use of our products.

A.P.I. S.r.l. furthermore declares, with regard to the fulfillment of the obligations established by the European REACH Regulation, that as a downstream user of substances, mixtures and components and producer of articles not intended to release substances during foreseeable use, he is not subject to the pre-registration obligations and registration of substances intended for producers and importers of substances and articles intended to release substances during use.

A.P.I. s.r.l. has therefore made every effort to fulfill its obligations, namely:

- check with its suppliers whether the articles supplied contain SVHC substances from the "candidate list" above the legal threshold (0.1% w/w);
- check with their suppliers that all substances as such or present in mixtures subject to REACH have been registered by them (or by upstream subjects) or pre-registered according to REACH;
- verify that the substances used in the manufacture of its products are used within the conditions of use provided for such substances as such or contained in mixtures;

#### **A.P.I. S.r.l.**

**Headquarter** Via Cornaggia, 107  
22076 Mozzate (CO) - Italy  
**Legal office** Via Camillo Hajech, 6  
20129 Milano (MI) - Italy

Tel. +39 0331.82.35.11  
Fax +39 0331.82.34.80  
info@api-pneumatic.com  
[api-pneumatic.com](http://api-pneumatic.com)

P. IVA 09863780152  
R.E.A. MI 1324584  
R.I. MI 29917 v. 7565 f. 26  
N. M. MI105607



- in the event of a supplier failing to comply with one of the previous points, find valid alternatives compliant with REACH in order to guarantee continuity of supplies;
- based on the information received to evaluate the possible presence of SVHC substances in the products supplied to the customer.

A.P.I. S.r.l. therefore guarantees the continuity of supply regarding the products you have purchased and all the products in its catalog and declares that they comply with the REACH Regulation.

Based on the knowledge currently in our possession, as already mentioned, in one or more of the components that make up some of the items placed on the market by A.P.I. srl, may contain, in concentrations higher than 0.1% by weight, one or more of the substances included in the Candidate List of SVHC substances updated by ECHA periodically and available on the website: <https://echa.europa.eu/candidate-list-table>

Below, in accordance with art. 9 of Directive 2008/98 / EC, as amended by Directive 2018/851 / EU, the list of notifications made with the indication of known SVHC substances contained in the articles placed on the market is shown, updated at today based on the Echa's revision of the list of substances (SVHC-233):

Item	Description	SCIP number	SVHC substance
<b>CYLINDERS (API's catalogue chapter 1)</b>			
MS.. MSM.. MD.. MDM.. MDMA..	Aluminum ISO 6432 cylinders	5fc31299-46ab-4c58-b629-9e17b1ab630f	CAS: 7439-92-1 Lead
AMA.. AMT.. BMA.. BMT..	Aluminum ISO 15552 cylinders	119354c0-135d-44da-a47e-57764533e6fb	CAS: 7439-92-1 Lead
RS.. RD.. RDM.. RDMA..	Aluminum round cylinders	af9bccd8-be2f-409b-bfae-d8bc8de334d0	CAS: 7439-92-1 Lead
CX.. CM..	Aluminum CNOMO cylinders	ac163d87-7130-4c65-b5b9-e3cce969faee	CAS: 7439-92-1 Lead
CI.. CIS..	Aluminum ISO 21287 compact cylinders	0a27a08e-688c-497a-871d-62767897137e	CAS: 7439-92-1 Lead
CS.. CD..	Aluminum UNITOP compact cylinders	0a27a08e-688c-497a-871d-62767897137e	CAS: 7439-92-1 Lead
DU.. DUM..	Aluminum compact cylinders	31cfa6ac-5fc3-4655-8346-0ca53899f61b	CAS: 7439-92-1 Lead

#### A.P.I. S.r.l.

**Headquarter** Via Cornaggia, 107  
22076 Mozzate (CO) - Italy  
**Legal office** Via Camillo Hajech, 6  
20129 Milano (MI) - Italy

Tel. +39 0331.82.35.11  
Fax +39 0331.82.34.80  
info@api-pneumatic.com  
[api-pneumatic.com](http://api-pneumatic.com)

P. IVA 09863780152  
R.E.A. MI 1324584  
R.I. MI 29917 v. 7565 f. 26  
N. M. MI105607



Item	Description	SCIP number	SVHC substance
BS.. BSM.. BD.. BDM..	Aluminum short stroke cylinders	8bea34fc-dbf6-4670-ac6e-5cc756eeb0e1	CAS: 7439-92-1 Lead
GEDB.. GEDS..	Aluminum guided compact cylinders	7cf50288-a694-484f-9896-4b3fc7bf70c0	CAS: 7439-92-1 Lead
GPB.. GPS..	Aluminum guiding and stopper cylinders	c65bd6f9-0636-45a6-b6ea-0f4bd4216a64	CAS: 7439-92-1 Lead
GSB.. GSS..	Aluminum twin rod cylinders	c2e37102-2624-4af2-8c53-06ecaada3572	CAS: 7439-92-1 Lead
S1.. S2.. S3.. S4.. S5.. S6..	Aluminum rodless cylinders	b8aafd12-0d41-4461-bf1d-01db366771d5	CAS: 7439-92-1 Lead
CRTH.. CRTF..	Aluminum rotary cylinders	e420958d-fd18-4e4e-9daa-b020be831fa3	CAS: 7439-92-1 Lead
ARTM..	Aluminum hi-rotor cylinders	8d04c6e4-3e76-49fe-bf6d-14caea39c2a3	CAS: 7439-92-1 Lead
ARC.. ARP..	Aluminum rotary actuators	5dcc680c-9c24-4a60-91e8-bac19abd416a	CAS: 7439-92-1 Lead
MFC.. MCN..	Aluminum Cartridge cylinders	1ea9c248-0a0c-4be5-9a20-609b9d9213b5	CAS: 7439-92-1 Lead
PAB.. PAC.. PPB.. PPC.. PPE..	Hand Grips	7bd6b195-a812-41b7-a2a6-c228b56d5f45	CAS: 7439-92-1 Lead
PPD..	Long Stroke Hand Grips	b1a3b698-83ee-4256-9938-f9d25c65cc36	CAS: 7439-92-1 Lead
UGLB.. UGPB..	Slide units for cylinders	4810f08e-5a79-47d6-93ec-991aeade5849	CAS: 7439-92-1 Lead
UGPS..	Slide units for cylinders	9e6e13e9-a877-4a15-b724-c226ae1ca631	CAS: 7439-92-1 Lead
ABS..	Static rod brake for cylinders	4e09f95f-1000-4f44-8b52-d238e56c059b	CAS: 7439-92-1 Lead
ABK..	Dynamic rod brake for cylinders	cb87a5dc-da5d-41c9-8993-745bde79e22a	CAS: 7439-92-1 Lead
CF..ALIS+V CFS..ALIS+V CFA..ALIS+V CF..ALCN	Aluminum rear clevis	666c02e9-e2f2-4085-ab18-07fd0b1e62c1	CAS: 7439-92-1 Lead
CM..ALIS+V CM..ALUN CM..ALB	Aluminum rear eye	666c02e9-e2f2-4085-ab18-07fd0b1e62c1	CAS: 7439-92-1 Lead

**A.P.I. S.r.l.**

**Headquarter** Via Cornaggia, 107  
22076 Mozzate (CO) - Italy  
**Legal office** Via Camillo Hajech, 6  
20129 Milano (MI) - Italy

Tel. +39 0331.82.35.11  
Fax +39 0331.82.34.80  
info@api-pneumatic.com  
[api-pneumatic.com](http://api-pneumatic.com)

P. IVA 09863780152  
R.E.A. MI 1324584  
R.I. MI 29917 v. 7565 f. 26  
N. M. MI105607



Item	Description	SCIP number	SVHC substance
CMS..ALIS+V	Aluminum narrow rear eye	666c02e9-e2f2-4085-ab18-07fd0b1e62c1	CAS: 7439-92-1 Lead
CF..ALIS+VP CFS..ALIS+VP	Aluminum rear clevis	f6abb734-1fa1-44a0-9144-bbacaf47f92e	CAS: 7439-92-1 Lead
ASV..ALIS+V ASF..ALIS+V AS..ALIS AN..ALCN AS..ALCN	Aluminum hinge	0c0e2783-86f1-4187-9f0d-56e20e224312	CAS: 7439-92-1 Lead
FLV..ALIS+V FL..ALUN	Aluminum flange	2aa906a1-90b5-4388-ba53-cd2ccf9a136d	CAS: 7439-92-1 Lead
P..ALCN P..ALB	Aluminum foot	e3a34f56-3c71-4563-a6a2-de76e200d7f1	CAS: 7439-92-1 Lead
CL..S C..S SID..S STD..S SI..S SIP..S P..S PP..S	Aluminum rodless mountings	b1d78275-7ce8-4c64-a0a8-0ce9e75e1a26	CAS: 7439-92-1 Lead
..PM ..PF	Aluminum hand grip mountings	684c6350-20b0-471d-a12e-99b6e793836d	CAS: 7439-92-1 Lead
SCSG..	Brackets for slide units	8f02799e-158d-4782-bfa1-32a068b7375f	CAS: 7439-92-1 Lead
CF..AQIS+V CFS..AQIS+V CF..AQUN	Steel rear clevis	e787cec1-5448-4008-afb9-8d3e8e3f6062	CAS: 7439-92-1 Lead CAS: 80-05-7 Bisphenol A
CM..AQIS+V CM..AQUN	Steel rear eye	e787cec1-5448-4008-afb9-8d3e8e3f6062	CAS: 7439-92-1 Lead CAS: 80-05-7 Bisphenol A
CMS..AQIS+V	Steel narrow rear eye with bearing	e787cec1-5448-4008-afb9-8d3e8e3f6062	CAS: 7439-92-1 Lead CAS: 80-05-7 Bisphenol A
ASV..AQIS+V	Steel hinge	dcbcdf23-1a5a-43fc-81f0-46ed75141f43	CAS: 7439-92-1 Lead CAS: 80-05-7 Bisphenol A
ASS..AQIS	Steel hinge with bearing	dcbcdf23-1a5a-43fc-81f0-46ed75141f43	CAS: 7439-92-1 Lead CAS: 80-05-7 Bisphenol A
FLV..AQIS+V FL..AQCN FLF..AQCN FL..AQUN	Steel flange	02f32479-f92d-4d89-b803-53f568c25c29	CAS: 7439-92-1 Lead
PB..AQIS+V PB..AQCN PB..AQUN	Steel foot	0db123ec-df06-429f-9b6e-ef232044fbb8	CAS: 7439-92-1 Lead
SEC..AQIS SEC..ARAQIS SEC..AQCN	Steel pins	a4823164-a8d3-4103-a336-b35f9dc027bf	CAS: 7439-92-1 Lead

**A.P.I. S.r.l.**

**Headquarter** Via Cornaggia, 107  
22076 Mozzate (CO) - Italy  
**Legal office** Via Camillo Hajech, 6  
20129 Milano (MI) - Italy

Tel. +39 0331.82.35.11  
Fax +39 0331.82.34.80  
info@api-pneumatic.com  
**api-pneumatic.com**

P. IVA 09863780152  
R.E.A. MI 1324584  
R.I. MI 29917 v. 7565 f. 26  
N. M. MI105607



Item	Description	SCIP number	SVHC substance
CT...AQIS+GR CTS...AQIS+GR CTN...AQIS CTA...AQIS+V CT...AQCN CTN...AQCN	Steel trunnions	37cddcc2-0af0-49a4-b236-ce87c4380e82	CAS: 7439-92-1 Lead
ST...AQIS	Trunnion support	057a6c3d-8ac8-41e3-919d-ea8858f121f7	CAS: 7439-92-1 Lead
MK..	ATEX magnetic switches	87895709-793d-4cc9-8842-cab049617464	CAS: 7439-92-1 Lead
ASH..	Hi temperature magnetic switches	e5b7e265-2588-47c9-846b-5025b667f63d	CAS: 7439-92-1 Lead
CAV..	Cables	fd50587e-e02b-4797-9b11-857f280372cc	CAS: 7439-92-1 Lead
AFM.. AFR.. AS101 AS102 AS013 AS104 AS105 AS106 AS110 AS112 AS113 AS114 AS115 AS116 AS117 AS118 AS119 AS120 AS121	Magnetic switch brackets	989a7558-426f-49ed-aeab-264999777227	CAS: 7439-92-1 Lead

**A.P.I. S.r.l.**

**Headquarter** Via Cornaggia, 107  
22076 Mozzate (CO) - Italy  
**Legal office** Via Camillo Hajech, 6  
20129 Milano (MI) - Italy

Tel. +39 0331.82.35.11  
Fax +39 0331.82.34.80  
info@api-pneumatic.com  
[api-pneumatic.com](http://api-pneumatic.com)

P. IVA 09863780152  
R.E.A. MI 1324584  
R.I. MI 29917 v. 7565 f. 26  
N. M. MI105607





Item	Description	SCIP number	SVHC substance
<b>VALVES (API's catalogue chapter 2)</b>			
A1EM..	22mm. directly operated solenoid valves	ab3210c0-561e-4541-ab53-ca281115fd61	CAS: 7439-92-1 Lead
A1E..MD	22mm. directly operated solenoid valves	5f542549-9d38-49d4-8108-8dc0b20682e5	CAS: 7439-92-1 Lead
A1E.. A1NE..	Electrically operated valves	45550678-eb96-478f-9915-e26c7794557f	CAS: 7439-92-1 Lead
A1P.. A1NP..	Pneumatically operated valves	873623cf-c9fc-4a66-af77-15384597856d	CAS: 7439-92-1 Lead
A2..	Multipolar solenoid valves	699d5b42-a2f3-4817-a798-29188b39654a	CAS: 7439-92-1 Lead
ISO..	ISO 5599/1 valves	425be493-66c8-4431-8113-e31c01d6ee2f	CAS: 7439-92-1 Lead
AEN.. AEV.. AEP..	Water and steam solenoid valves	637c29b8-bb71-4040-9dde-876b8973f737	CAS: 7439-92-1 Lead
AEF.. APF.. AEC.. APC..	Integrated circuits	3b185a96-3648-4f1a-b18b-95746b7d4e54	CAS: 7439-92-1 Lead
A1MA..	Manually operated valves	e1824c80-f6a2-4f2a-a285-48f1c4b62994	CAS: 7439-92-1 Lead
AVP..	Foot operated valves	0f735fc6-7076-4964-aa5d-3650af3c5c99	CAS: 7439-92-1 Lead
AC118.. AC218.. AC318..	Mechanically operated valves	3f8df307-17b7-4c62-93d0-24ab7ea70820	CAS: 7439-92-1 Lead
A1ME..	Mechanically operated valves	e081282d-99c9-4b32-b34d-7cbc76e58ea5	CAS: 7439-92-1 Lead
V26..	Slide valves	8dc55db7-ce25-4c5d-b60f-99b8b6a544fc	CAS: 7439-92-1 Lead
..VSR ..VSRM	Quick-exhaust valves	434f665c-985e-43cd-aab8-1dc45f06de64	CAS: 7439-92-1 Lead
..MVSFF ..MVSFM ..MSFF ..MSMF	Micro ball valves	434f665c-985e-43cd-aab8-1dc45f06de64	CAS: 7439-92-1 Lead
VSLO..	Full bore ball valves	9e6460e6-6952-4921-9bd0-13391b34079d	CAS: 7439-92-1 Lead
..FF	Uni directional valves	836d1303-c84d-43f0-ba46-eab21b167c2e	CAS: 7439-92-1 Lead
..VS	Safety valves	4d00114a-a6b3-416f-94f5-3e377ac9523f	CAS: 7439-92-1 Lead
ABAS05.. ABAS05S	Bases for 22mm. directly operated solenoid valves	aa132f40-5362-4f6a-9ab1-61d7cb46df4a	CAS: 7439-92-1 Lead

**A.P.I. S.r.l.**

**Headquarter** Via Cornaggia, 107  
22076 Mozzate (CO) - Italy  
**Legal office** Via Camillo Hajech, 6  
20129 Milano (MI) - Italy

Tel. +39 0331.82.35.11  
Fax +39 0331.82.34.80  
info@api-pneumatic.com  
**api-pneumatic.com**

P. IVA 09863780152  
R.E.A. MI 1324584  
R.I. MI 29917 v. 7565 f. 26  
N. M. MI105607



Item	Description	SCIP number	SVHC substance
A1B1.. A1B2..	Bases for 15mm. directly operated solenoid valves	33e5191b-97dc-41c2-beef-b4347abd758b	CAS: 7439-92-1 Lead
A1T1.. A1T2..	Sub-bases for series A1 valves	5f42e379-008d-474e-a158-774c2342e7ae	CAS: 7439-92-1 Lead
PSV..	Plates for series A1 valves	1386a92e-553b-4ded-98c6-ef70a105667f	CAS: 7439-92-1 Lead
APNRDA	Speed regulators	9c578ce5-ec0a-4c86-bdc3-4cff54df135c	CAS: 7439-92-1 Lead
APNRSR	Speed regulators	ea1485fe-81c4-461a-b2b4-3cc354f052bb	CAS: 7439-92-1 Lead
PNF..	Plates for speed regulators	a8941b24-8adf-4c59-a1cd-dd44d5a5dd6c	CAS: 7439-92-1 Lead
A2B..	Bases for multipole valves	fbcbd5d1-139e-4595-a73d-525e8c1892ef	CAS: 7439-92-1 Lead
A2T A2S	Plugs for multipole valves	ff67f38d-f95a-442c-a154-d855f0f11322	CAS: 7439-92-1 Lead
SD25..	Sub-D connectors for multipole valves	e7cbf202-86a7-4c0b-83ce-8ccaee1c15bf	CAS: 7439-92-1 Lead
SBA1M.. SBA2M..	Sub-bases for ISO valves	c0495f30-0a91-4497-9b80-44ddc7589c48	CAS: 7439-92-1 Lead
SBA1S SBA2S	Sub-bases for ISO valves	d360608c-8d42-40c4-ab49-78a0287a68e9	CAS: 7439-92-1 Lead
SBA1T SBA2T	Plates for ISO valves	b2cbb38e-ee1f-4336-be30-452601198987	CAS: 7439-92-1 Lead
SBA1A2	Sub-base interface for ISO valves	7e19581a-319f-4673-9de0-065dd7f8c900	CAS: 7439-92-1 Lead
SBA1C SBA2C SBA1A SBA2A	Sub-bases end plate for ISO valves	36324d0c-fb1d-4cf2-b1cb-35d402603a06	CAS: 7439-92-1 Lead
AR..SE AR..DE	Aluminum rotary actuators	53246557-8898-458c-b3df-34588db90d95	CAS: 7439-92-1 Lead
SB200.. SB500..	Aluminum limit switch box	1d1b5110-de65-4f36-8911-57b0af53a60a	CAS: 7439-92-1 Lead
GDB..	Aluminum handweel gearbox	f700cc0f-8c5d-4f68-9685-cbac3c24d2f5	CAS: 7439-92-1 Lead
VSO..SE VSO..DE	Aluminum rotary actuators with brass ball valve	c8c7a440-1345-4c35-bcc3-ed0f894ea3c9	CAS: 7439-92-1 Lead
VSI..SE VSI..DE	Aluminum rotary actuators with stainless steel ball valve	4754a8c8-7a66-4661-bc8b-51fac2bf6abc	CAS: 7439-92-1 Lead

**A.P.I. S.r.l.**

**Headquarter** Via Cornaggia, 107  
22076 Mozzate (CO) - Italy  
**Legal office** Via Camillo Hajech, 6  
20129 Milano (MI) - Italy

Tel. +39 0331.82.35.11  
Fax +39 0331.82.34.80  
info@api-pneumatic.com  
[api-pneumatic.com](http://api-pneumatic.com)

P. IVA 09863780152  
R.E.A. MI 1324584  
R.I. MI 29917 v. 7565 f. 26  
N. M. MI105607





Item	Description	SCIP number	SVHC substance
<b>AIR-LINE EQUIPMENTS (API's catalogue chapter 3)</b>			
A14F.. A14R.. A14L.. A38F.. A38R.. A38L.. A12F.. A12R.. A12L.. A01F.. A01R.. A01L..	Modular air-line equipments (FRL)	ee361ce7-7a64-482a-b012-1120bc7516ab	CAS: 7439-92-1 Lead
AVP..	Modular soft-start valves	c930432d-5fcc-407b-b6d1-7f8ca37f71f3	CAS: 7439-92-1 Lead
AC400..	Microregulators	52fa0de9-b947-428d-b238-fd6b6ba42864	CAS: 7439-92-1 Lead
M.. MR.. MF.. MP..	Analog pressure gauges	a7063f98-cf44-412d-9e92-fb047482e032	CAS: 7439-92-1 Lead
VMS..	Manual condense drain valve	3fa08490-d224-4146-b975-bbef603ce1d	CAS: 7439-92-1 Lead
A..FLSA	Automatic condense drain	f43eb70f-65d5-40e2-9a65-15a523b7f91a	CAS: 7439-92-1 Lead
SL.. ST.. SR.. SFL.. DSL.. DST.. D.. DT..	Mounting accessories for modular air-line equipments	6eb96b66-7e78-4f2d-8b5c-e6880f80b5c1	CAS: 7439-92-1 Lead
TP..F TM..F TP..L TM..L	Spare parts for modular air-line equipments	77744428-7d2f-4039-9cec-93edc0faa18f	CAS: 7439-92-1 Lead

**A.P.I. S.r.l.**

**Headquarter** Via Cornaggia, 107  
22076 Mozzate (CO) - Italy  
**Legal office** Via Camillo Hajech, 6  
20129 Milano (MI) - Italy

Tel. +39 0331.82.35.11  
Fax +39 0331.82.34.80  
info@api-pneumatic.com  
[api-pneumatic.com](http://api-pneumatic.com)

P. IVA 09863780152  
R.E.A. MI 1324584  
R.I. MI 29917 v. 7565 f. 26  
N. M. MI105607





Item	Description	SCIP number	SVHC substance
<b>ACCESSORIES (API's catalogue chapter 4)</b>			
R.. RHP.. RT.. C.. O.. A..	Fittings	753fce72-84dc-48a4-aab1-3c90e646a59a	CAS: 7439-92-1 Lead
A013P A113P A213P	Multiple connectors	b91ef3f2-f384-48d4-8444-3c1523b7bf27	CAS: 7439-92-1 Lead
V..	Flow regulators and accessories with integrated function	434f665c-985e-43cd-aab8-1dc45f06de64	CAS: 7439-92-1 Lead
AVE.. AVS.. AVL.. AVT.. AVC..	Silenced exhaust regulators	1395787d-6f79-4e38-b33d-b7c3bf73b090	CAS: 7439-92-1 Lead
SPF..	Plastic silencers	712c5b0f-ad5a-46c4-920b-c80ad8327c01	CAS: 7439-92-1 Lead
AC.. ACQ.. AE.. AEA.. AEP.. AP.. AT.. ATT.. ACI.. AEF..	Sintered bronze silencers with brass nipple	51def862-62a2-42ee-9a65-b7f17a84b4be	CAS: 7439-92-1 Lead
AEB..	Sintered bronze silencers with copper-plated steel nipple	15da8530-1a60-4212-89ee-d6ce09ea210d	CAS: 7439-92-1 Lead
MI..	Metal silencers	5a3a67b4-6ebd-4d40-8f59-c3a1a25d852d	CAS: 7439-92-1 Lead
KA.. SF..	Quick-lock couplings	e0293a72-c09d-44e4-9b82-3e7ce7cbf9db	CAS: 7439-92-1 Lead
RX.. RY.. RZ.. RR..	Collectors	9db9c7fd-700b-4640-8bd0-184463a00043	CAS: 7439-92-1 Lead
CSC..	Exhausts conveyors	dbf3b2b2-6b1c-4d31-a627-2b8d15e0d531	CAS: 7439-92-1 Lead

**A.P.I. S.r.l.**

**Headquarter** Via Cornaggia, 107  
22076 Mozzate (CO) - Italy  
**Legal office** Via Camillo Hajech, 6  
20129 Milano (MI) - Italy

Tel. +39 0331.82.35.11  
Fax +39 0331.82.34.80  
info@api-pneumatic.com  
[api-pneumatic.com](http://api-pneumatic.com)

P. IVA 09863780152  
R.E.A. MI 1324584  
R.I. MI 29917 v. 7565 f. 26  
N. M. MI105607





Item	Description	SCIP number	SVHC substance
<b>STAINLESS STEEL COMPONENTS (API's catalogue chapter 5)</b>			
MDMX.. MDMAX..	Stainless Steel ISO 6432 cylinders	1d7e382f-4b78-4eab-a911-5b298439af2f	CAS: 7439-92-1 Lead
AMX..	Stainless Steel ISO 15552 cylinders	3570ce9c-4b5b-420d-9d27-5a129e020e3a	CAS: 7439-92-1 Lead
RDX.. RXD..	Stainless Steel round cylinders	3570ce9c-4b5b-420d-9d27-5a129e020e3a	CAS: 7439-92-1 Lead
CIX..	Stainless Steel ISO 21287 compact cylinders	3570ce9c-4b5b-420d-9d27-5a129e020e3a	CAS: 7439-92-1 Lead
AX1	Stainless Steel valves	eb23d7e7-4173-4b21-8888-d0867c596561	CAS: 7439-92-1 Lead

Mozzate, 01/03/2024

The Technical Department Manager

**A.P.I. S.r.l.**

**Headquarter** Via Cornaggia, 107  
22076 Mozzate (CO) - Italy  
**Legal office** Via Camillo Hajech, 6  
20129 Milano (MI) - Italy

Tel. +39 0331.82.35.11  
Fax +39 0331.82.34.80  
info@api-pneumatic.com  
[api-pneumatic.com](http://api-pneumatic.com)

P. IVA 09863780152  
R.E.A. MI 1324584  
R.I. MI 29917 v. 7565 f. 26  
N. M. MI105607

